

<b>LIGHT</b>	<b>Medium</b>	<b>Strong</b>
<b>4 holes front</b>	<b>4 holes back</b>	<b>5 holes front</b>
<b>1 = 200lbs 21'9"</b>	<b>1 = 270lbs 21' 8"</b>	<b>0 = 270lbs 21'7.5"</b>
<b>2 = 270lbs 21'9.5"</b>	<b>2 = 340lbs 21' 9"</b>	<b>1 = 340lbs 21' 8"</b>
<b>3 = 340lbs 21' 10"</b>	<b>3 = 400lbs 21' 9.5"</b>	<b>2 = 400lbs 21' 9"</b>

**Note**

**4 holes front etc refers to standard Holt Allen shroud plate hole position from the top and will vary between masts to get same rack as shrouds vary slightly in length.**

**Light 1 – crew sat well to leeward up wind**

**Light 2 – crew centre line up wind**

**Light 3 – crew windward side of centreline on thwart**

**Med 1 - both sat on side just sitting out**

**Med 2 – both hiking**

**Med 3 both hiking hard, occasionally spilling from main**

**Strong 0 main permanently eased up wind**

**Strong 1 main out beyond corner of transom up wind**

**Strong 2 main very eased most of the time, backwinding of battens.**